In the Claims

1.(canceled) 2.(canceled) 3.(canceled) 4.(canceled) 5.(canceled) 6.(canceled) 7.(canceled) 8.(canceled) 9.(canceled)
10.(currently amended) A composition comprising a polymerizing agent including a
molecular tag covalently bonded to a site on the polymerizing agent and a monomer including a
molecular tag that is released upon monomer incorporation, where at least one of the tags has a
fluorescence property that undergoes a change before, during and/or after each of a sequence of
monomer incorporations due to an interaction between the polymerizing agent tag and the
monomer tag and where the polymerizing agent lacks the ability to remove a previously
incorporated monomer.
11.(canceled) 12.(canceled) 13.(previously presented) The composition of claim 10, wherein the polymerizing agent is a polymerase.
14.(canceled) 15.(canceled)
16.(currently amended) The composition of claim 10, wherein each of the monomers
comprises a deoxynucleotide triphosphate (dNTP) and the monomer tag is covalently bonded
either directly or through a linker to the β and/or γ phosphate group pyrophosphate moiety of each dNTP.
17.(currently amended) The composition of claim 10, wherein the tags at least one tag
comprises a fluorescent tag tags and the fluorescence property comprises a duration, an intensity and/or frequency of emitted fluorescent light.

1 2

- 1 18.(previously presented) The composition of claim 17, wherein the fluorescence property is
 2 fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymerase
 3 tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
 4 two tags are in close proximity.
- 19.(previously presented) The composition of claim 13, wherein the polymerase comprises

 Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position

 of the Taq DNA polymerase I, where the amino acid position is selected from the group

 consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises a

 fluorescent molecule.
 - 20.(canceled)
 - 21.(canceled)
 - 22.(canceled)
 - 23.(canceled)
 - 24.(canceled)
 - 25.(canceled)
 - 26.(canceled)
 - 27.(canceled)
 - 28.(canceled)
 - 29.(canceled)
 - 30.(canceled)
 - 31.(canceled)
 - 32.(canceled)
 - 33.(canceled)
 - 34.(canceled)
 - 35.(canceled)
 - 36.(canceled) 37.(canceled)
 - 38.(canceled)
 - 39.(canceled)
 - 40.(canceled)
 - 41.(canceled)
 - 42.(canceled)
 - 43.(canceled)
 - 44.(canceled)
 - 45.(canceled)
 - 46.(canceled)
 - 47.(canceled)
 - 48.(canceled)
 - 49.(canceled)

1	50.(currently amended) A composition comprising a polymerizing agent including a
2	molecular tag covalently bonded to a site on the polymerizing agent and a deoxynucleotide
3	triphosphate (dNTP) including a molecular tag covalently bonded directly or through a linker to
4	the β and/or γ phosphate group pyrophosphate moiety of the dNTP, where at least one of the
5	tags has a fluorescence property that undergoes a change before, during and/or after each of a
6	sequence of monomer incorporations due to an interaction between the polymerizing agent tag
7	and the dNTP tag.
1	51.(previously presented) The composition of claim 50, wherein the polymerizing agent is a
2	polymerase or reverse transcriptase.
1	52.(previously presented) The composition of claim 51, wherein the polymerase is selected
2	from the group consisting of Taq DNA polymerase I, T7 DNA polymerase, Sequenase, and the
3	Klenow fragment from E. coli DNA polymerase I.
1	53.(previously presented) The composition of claim 51, wherein the reverse transcriptase
2	comprises HIV-1 reverse transcriptase.
1	54.(currently amended) The composition of claim 50, wherein at least one of the tags
2	comprises \underline{a} fluorescent \underline{tag} and the fluorescence property comprises a duration, an intensity
3	and/or frequency of emitted fluorescent light.
1	55.(previously presented) The composition of claim 54, wherein the fluorescence property is
2	fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymerase
3	tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
4	two tags are in close proximity.
5	56.(previously presented) The composition of claim 52, wherein the polymerase comprises
6	Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position
7	of the Taq DNA polymerase I, where the amino acid position is selected from the group
8	consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises a
9	fluorescent molecule.

	57.(canceled) 58.(canceled) 59.(canceled) 60.(canceled) 61.(canceled) 62.(canceled) 63.(canceled)
1	64.(currently amended) A composition comprising a polymerizing agent including a
2	molecular tag covalently bonded to a site on the polymerizing agent and a deoxynucleotide
3	triphosphate (dNTP) including a molecular tag covalently bonded directly or through a linker to
4	the γ phosphate group of the dNTP, where at least one of the tags has a fluorescence property
5	that undergoes a change before, during and/or after each of a sequence of monomer
6	incorporations due to an interaction between the polymerizing agent tag and the dNTP tag.
1	65.(previously presented) The composition of claim 64, wherein the polymerizing agent is a
2	polymerase or reverse transcriptase.
1	66.(previously presented) The composition of claim 65, wherein the polymerase is selected
2	from the group consisting of Taq DNA polymerase I, T7 DNA polymerase, Sequenase, and the
3	Klenow fragment from E. coli DNA polymerase I.
1	67.(previously presented) The composition of claim 65, wherein the reverse transcriptase
2	comprises HIV-1 reverse transcriptase.
1	68.(currently amended) The composition of claim 64, wherein at least one of the tags
2	comprises a fluorescent tag tags and the fluorescence property comprises a duration, an intensity
3	and/or frequency of emitted fluorescent light.
1	69.(previously presented) The composition of claim 68, wherein the fluorescence property is
2	fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymerase
3	tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
4	two tags are in close proximity.

5	70.(previously presented) The composition of claim 66, wherein the polymerase comprises
6	Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position
7	of the Taq DNA polymerase I, where the amino acid position is selected from the group
8	consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises a
9	fluorescent molecule.
1	71.(currently amended) A composition comprising a polymerizing agent including a
2	molecular tag covalently bonded to a site on the polymerizing agent and a monomer including a
3	molecular tag covalently bonded directly or through a linker to the terminal phosphate of the
4	monomer, where at least one of the tags has a fluorescence property that undergoes a change
5	before, during and/or after each of a sequence of monomer incorporations due to an interaction
6	between the polymerizing agent tag and the monomer tag.
1	72.(previously presented) The composition of claim 71, wherein the polymerizing agent is a
2	polymerase or reverse transcriptase.
1	73.(previously presented) The composition of claim 72, wherein the polymerase is selected
2	from the group consisting of Taq DNA polymerase I, T7 DNA polymerase, Sequenase, and the
3	Klenow fragment from E. coli DNA polymerase I.
1	74.(previously presented) The composition of claim 72, wherein the reverse transcriptase
2	comprises HIV-1 reverse transcriptase.
	75.(canceled)
1	76.(currently amended) The composition of claim 75 71, wherein at least one of the tags
2	comprises a fluorescent tag tags and the fluorescence property comprises a duration, an intensity
3	and/or frequency of emitted fluorescent light.
1	77.(previously presented) The composition of claim 76, wherein the fluorescence property is
2	fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymerase
3	tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
4	two tags are in close proximity.

5	78.(previously presented) The composition of claim 73, wherein the polymerase comprises
6	Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position
7	of the <i>Taq</i> DNA polymerase I, where the amino acid position is selected from the group
8	consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises
9	fluorescent molecule.
1	79.(currently amended) A composition comprising a polymerizing agent including a
2	molecular tag covalently bonded to a site on the polymerizing agent lacking 3' to 5' exonuclease
3	activity and a monomer including a molecular tag that is released upon monomer incorporation
4	where at least one of the tags has a fluorescence property that undergoes a change before, during
5	and/or after each of a sequence of monomer incorporations due to an interaction between the
6	polymerizing agent tag and the monomer tag and where the site comprises a naturally occurring
7	cysteine site or a cysteine replacement site in the polymerizing agent selected so that the site is
8	less than or equal to about 50Å from a tag on each incorporating monomer and is a site that is
9	not involved in the function of the polymerizing agent and the polymerizing agent tag is
0	covalently bonded to the naturally occurring cysteine site or the cysteine replacement site
1	through its SH group.
1	80.(previously presented) The composition of claim 79, wherein the site is less than or equa
2	to about 15Å from a tag on each incorporating monomer.
1	81.(previously presented) The composition of claim 79, wherein the site is less than or equa
2	to about 10Å from a tag on each incorporating monomer.
1	82.(previously presented) The composition of claim 79, wherein the polymerizing agent is a
2	polymerase or reverse transcriptase.
1	83.(previously presented) The composition of claim 79, wherein the polymerase is selected
2	from the group consisting of Taq DNA polymerase I, T7 DNA polymerase, Sequenase, and the
3	Klenow fragment from E. coli DNA polymerase I.

The composition of claim 8382, wherein the reverse transcriptase

84.(currently amended)

2	comprises HIV-1 reverse transcriptase.
1	85.(currently amended) The composition of claim 79, wherein each of the monomers
2	comprises a deoxynucleotide triphosphate (dNTP) and the monomer tag is covalently bonded
3	directly or through a linker to the β and/or γ phosphate group pyrophosphate moiety of each
4	dNTP.
1	86.(previously presented) The composition of claim 85, wherein the tags comprise
2	fluorescent tags and the fluorescence property comprises a duration, an intensity and/or
3	frequency of emitted fluorescent light.
1	87.(previously presented) The composition of claim 86, wherein the fluorescence property is
2	fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymerase
3	tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
4	two tags are in close proximity.
5	88.(previously presented) The composition of claim 83, wherein the polymerase comprises
6	Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position
7	of the Taq DNA polymerase I, where the amino acid position is selected from the group
8	consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises a
9	fluorescent molecule.
1	89.(currently amended) A composition comprising a polymerizing agent including a
2	molecular tag covalently bonded to a site on the polymerizing agent and a monomer including a
3	molecular tag covalently bonded to the monomer and that is released upon monomer
4	incorporation, where at least one of the tags has a fluorescence property that undergoes a change
5	before, during and/or after each of a sequence of monomer incorporations due to an interaction
6	between the polymerizing agent tag and the monomer tag and where the site comprises a
7	naturally occurring cysteine site or a cysteine replacement site in the polymerizing agent selected
8	so that the site is less than or equal to about 50Å from a tag on each incorporating monomer and
9	the polymerizing agent tag is covalently bonded to the naturally occurring cysteine site or the
10	cysteine replacement site through its SH group.

1	90.(previously presented) The composition of claim 89, wherein the site is less than or equ
2	to about 15Å from a tag on each incorporating monomer.
1	91.(previously presented) The composition of claim 89, wherein the site is less than or equal
2	to about 10Å from a tag on each incorporating monomer.
1	92.(previously presented) The composition of claim 89, wherein the polymerizing agent is
2	polymerase or reverse transcriptase.
1	93.(canceled)
1	94.(previously presented) The composition of claim 92, wherein the polymerase is selected
2	from the group consisting of Taq DNA polymerase I, T7 DNA polymerase, Sequenase, and the
3	Klenow fragment from E. coli DNA polymerase I.
1	95.(previously presented) The composition of claim 92, wherein the reverse transcriptase
2	comprises HIV-1 reverse transcriptase.
1	96.(previously presented) The composition of claim 89, wherein each of the monomers
2	comprises a deoxynucleotide triphosphate (dNTP) and the monomer tag is covalently bonded
3	directly or through a linker to the terminal phosphate group of each dNTP.
1	97.(previously presented) The composition of claim 96, wherein the tags comprise
2	fluorescent tags and the fluorescence property comprises a duration, an intensity and/or
3	frequency of emitted fluorescent light.
1	98.(previously presented) The composition of claim 97, wherein the fluorescence property i
2	fluorescence resonance energy transfer (FRET) where either the monomer tag or the polymeras
3	tag comprises a donor and the other tag comprises an acceptor and where FRET occurs when the
4	two tags are in close proximity.

The composition of claim 94, wherein the polymerase comprises

99.(previously presented)

6	Taq DNA polymerase I having a tag attached to an amino acid at a specific amino acid position
7	of the Taq DNA polymerase I, where the amino acid position is selected from the group
8	consisting of 513-518, 643, 647, 649 and 653-661 of SEQ. ID No. 11, where the tag comprises a
9	fluorescent molecule.
1	100.(previously presented) The composition of claim 50, wherein the polymerizing agent
2	lacks the ability to remove a previously incorporated monomer.
	100.(canceled)
1	102.(previously presented) The composition of claim 64, wherein the polymerase lacks the
2	ability to remove a previously incorporated monomer.
1	103.(previously presented) The composition of claim 71, wherein the polymerase lacks the
2	ability to remove a previously incorporated monomer.
1	104.(previously presented) The composition of claim 89, wherein the polymerase lacks the
2	ability to remove a previously incorporated monomer.
1	105.(previously presented) The composition of claim 79, wherein the site is less than or equal
2	to about 25Å from a tag on each incorporating monomer.
1	106.(previously presented) The composition of claim 89, wherein the site is less than or equal
2	to about 25Å from a tag on each incorporating monomer.
1	107.(previously presented) The composition of claim 13, wherein a polymerase comprises any
2	molecule or molecular assembly capable of polymerizing a set of monomers into a polymer
3	having a predetermined sequence of monomers and a monomer comprises any molecule capable
4	of being incorporated into a polymer having a predetermined sequence of monomers by a
5	polymerase.